

TECHN. DATEN (TECHNICAL DATA):

NENNDRUCK (NOMINAL PRESSURE) P_N 70 MPa (700bar)

PRÜFDRUCK (TEST PRESSURE) P_P 84 MPa (840bar)

GEWICHT (WEIGHT) 9,3 kg

(INKL. 0,3m SCHLÄUCHE U. KUPPLUNGEN; INCL. 0,3m HOSES AND COUPLINGS)

ÖLBEDARF (REQUIRED OIL VOLUME) 0,1 l

STEUERUNG (SAFETY FEATURES)




SICHERHEITSSCHALTUNG ENTSPRECHEND EN 13204

(WHEN CONTROL KNOBS IN NEUTRAL POSITION,
OIL CIRCULATES WITHOUT EXERTING PRESSURE)

Schneidklasse (CUTTING CLASS):

EN 13204 (EDITION 03/2005) ... AC105-E-9

NFPA 1936 (EDITION 2005) A5/B4/C5/D6/E6



GEPR. JSC
CHECK.
GEZ. KST
DRAW.
DAT. 28.12.09
KST
09.04.10
GEÄND. MODIF.
AEND.-DATUM
MOD.-DATE
A
100219
REVISION

FREIMASSTOLERANZEN (GENERAL TOLERANCES)	LAENGENMASS (LENGHT) mm TOLERANZ (TOLERANCE) mm	... 50	50...250	250...1000	1000...	WINKELMASS (ANGLE) TOLERANZ (TOLERANCE)	... 180°
		±1,5	± 2,0	± 3,0	± 5,0		±10°