

**TECHN. DATEN (TECHNICAL DATA):**

NENNDRUCK (NOMINAL PRESSURE)  $P_N$  ..... 70 MPa (700bar)

PRÜFDRUCK (TEST PRESSURE)  $P_P$  ..... 84 MPa (840bar)

GEWICHT (WEIGHT) ..... 14,6 kg

(INKL. 0,3m SCHLÄUCHE U. KUPPLUNGEN; INCL. 0,3m HOSES AND COUPLINGS)

ÖLBEDARF (REQUIRED OIL VOLUME) ..... 0,1 l

**STEUERUNG (SAFETY FEATURES)**

SICHERHEITSSCHALTUNG ENTSPRECHEND EN 13204

(WHEN CONTROL KNOBS IN NEUTRAL POSITION,  
OIL CIRCULATES WITHOUT EXERTING PRESSURE)

**Schneidklasse (CUTTING CLASS):**

EN 13204 (EDITION 03/2005) ..... BC 160-H-15

NFPA 1936 (EDITION 2005) ..... A7/B7/C6/D7/E8





DIAGRAMM BEI 70MPa U. OHNE WIRKUNGSGRAD  
DIAGRAM AT 70MPa AND WITHOUT EFFICIENCY

SCHLIESSWEG - CUTTING WAY (mm)

**772**



GEPR. JSC  
CHECK.  
GEZ. KST  
DRAW.  
DAT. 23.02.10  
KST  
01.06.10  
GEAEND. MODIF.  
AEND.-DATUM  
MOD.-DATE  
A  
100369  
REVISION  
REVISION

FREIMASSTOLERANZEN (GENERAL TOLERANCES)	LAENGENMASS (LENGHT)mm	...50	50...250	250...1000	1000...	WINKELMASS (ANGLE)	...180°
	TOLERANZ (TOLERANCE)mm	±1,5	± 2,0	± 3,0	± 5,0	TOLERANZ (TOLERANCE)	±10°